

MONTI

SPECIFICATION



Article: BRISTLE BLASTER®
INDUSTRIAL PNEUMATIC

Details

Length: 340 mm
Height incl. Grip: 180 mm
Width: 70 mm
Weight: 1,2 kg / 2.6 lbs

Required Air Pressure: 6,2 bar (90 PSI) for Bristle Blaster® Belt 23 mm
5,2 bar (75 PSI) for Bristle Blaster® Belt 11 mm

Average Air Consumption: approx. 17,5 CFM (0,5 m³/min.)
Free Speed: 0 - 3500 min⁻¹

Air Pressure / Load Speed:
with belt 23 mm: 6,2 bar (90 PSI) / 2300 min⁻¹ ± 5 %
with belt 11 mm: 5,2 bar (75 PSI) / 2300 min⁻¹ ± 5 %

Air Inlet Size: R 1/4"
Required Hose Size: 3/8" ID (9,5 mm)

Vibration Level: 2 m/sec² (Reference: EN ISO 8662-1; 8662-4)
Date of Approval: 26.06.2008

Sound Level: 83 dB (Reference: DIN 45635-21; ISO 3744)
Sound Power Level: 88 dB (Reference: DIN 45635-21; ISO 3744)
Date of Approval: 23.07.2008

Vibration Level and Sound Levels are approved by Serviceforce.com, Frankfurt, Germany, accredited Test Laboratory according to DIN EN ISO/IEC 17025.

SPECIFICATION



Article: BRISTLE BLASTER® ELECTRIC

Details

Length:	400 mm
Height:	200 mm
Width:	100 mm
Weight:	2,3 kg / 5.1 lbs
Power:	550 W
Voltage:	120 V ± 10 %
Ampere:	4 A ± 15 %
Free Speed:	0 - 3200 min ⁻¹
Vibration Level:	2.8 m/sec ²
Sound Level:	83 dB
Sound Power Level:	93 dB

MONTI

SPECIFICATION



Article : BRISTLE BLASTER®
INDUSTRIAL ELECTRIC

Details

Length:	400 mm
Height:	200 mm
Width:	100 mm
Weight:	2,3 kg / 5.1 lbs
Power:	550 W
Voltage:	230 V ± 10 %
Ampere:	2 A ± 15 %
Free Speed:	0 - 3200 min ⁻¹
Vibration Level:	2,8 m/sec ²
Sound Level:	83 dB

MONTI

SPECIFICATION



Article: ADAPTOR SYSTEM 23 mm

Article No.: AS-009

Details

Outside Diameter: 65 mm
Inside Diameter: 48 mm
Width: 30 mm
Weight: 0,110 kg

Material: Aluminium

Accessoires: Allen Wrench DIN 911, 5 mm, galvanised
Screw M6 x 20, DIN 6912, galvanised
Washer 14 x 6,4 x 0,7 mm, galvanised

SPECIFICATION



Article: ADAPTOR SYSTEM 11 mm

Article No. AS-012

Details

Outside Diameter: 65 mm
Inside Diameter: 48 mm
Width: 15 mm
Weight: 0,100 kg

Material: Aluminium

Accessoires: Allen Wrench DIN 911, 5 mm, galvanised
Screw M6 x 12, DIN 6912, galvanised
Washer 14 x 6,4 x 0,7 mm, galvanised