

# MONTI

## SPECIFICATION



**Article:** BRISTLE BLASTER®  
INDUSTRIAL PNEUMATIC

### Details

**Length:** 340 mm  
**Height incl. Grip:** 180 mm  
**Width:** 70 mm  
**Weight:** 1,2 kg / 2.6 lbs

**Required Air Pressure:** 6,2 bar (90 PSI) for Bristle Blaster® Belt 23 mm  
5,2 bar (75 PSI) for Bristle Blaster® Belt 11 mm

**Average Air Consumption:** approx. 17,5 CFM (0,5 m<sup>3</sup>/min.)  
**Free Speed:** 0 - 3500 min<sup>-1</sup>

**Air Pressure / Load Speed:**  
**with belt 23 mm:** 6,2 bar (90 PSI) / 2300 min<sup>-1</sup> ± 5 %  
**with belt 11 mm:** 5,2 bar (75 PSI) / 2300 min<sup>-1</sup> ± 5 %

**Air Inlet Size:** R 1/4"  
**Required Hose Size:** 3/8" ID (9,5 mm)

**Vibration Level:** 2 m/sec<sup>2</sup> (Reference: EN ISO 8662-1; 8662-4)  
**Date of Approval:** 26.06.2008

**Sound Level:** 83 dB (Reference: DIN 45635-21; ISO 3744)  
**Sound Power Level:** 88 dB (Reference: DIN 45635-21; ISO 3744)  
**Date of Approval:** 23.07.2008

Vibration Level and Sound Levels are approved by Serviceforce.com, Frankfurt, Germany, accredited Test Laboratory according to DIN EN ISO/IEC 17025.

## SPECIFICATION



Article: BRISTLE BLASTER® ELECTRIC

### Details

<b>Length:</b>	400 mm
<b>Height:</b>	200 mm
<b>Width:</b>	100 mm
<b>Weight:</b>	2,3 kg / 5.1 lbs
<b>Power:</b>	550 W
<b>Voltage:</b>	120 V ± 10 %
<b>Ampere:</b>	4 A ± 15 %
<b>Free Speed:</b>	0 - 3200 min <sup>-1</sup>
<b>Vibration Level:</b>	2.8 m/sec <sup>2</sup>
<b>Sound Level:</b>	83 dB
<b>Sound Power Level:</b>	93 dB

# MONTI

## SPECIFICATION



**Article :** BRISTLE BLASTER®  
INDUSTRIAL ELECTRIC

### Details

<b>Length:</b>	400 mm
<b>Height:</b>	200 mm
<b>Width:</b>	100 mm
<b>Weight:</b>	2,3 kg / 5.1 lbs
<b>Power:</b>	550 W
<b>Voltage:</b>	230 V ± 10 %
<b>Ampere:</b>	2 A ± 15 %
<b>Free Speed:</b>	0 - 3200 min <sup>-1</sup>
<b>Vibration Level:</b>	2,8 m/sec <sup>2</sup>
<b>Sound Level:</b>	83 dB

# MONTI

## SPECIFICATION



Article: ADAPTOR SYSTEM 23 mm

Article No.: AS-009

### Details

Outside Diameter: 65 mm  
Inside Diameter: 48 mm  
Width: 30 mm  
Weight: 0,110 kg

Material: Aluminium

Accessoires: Allen Wrench DIN 911, 5 mm, galvanised  
Screw M6 x 20, DIN 6912, galvanised  
Washer 14 x 6,4 x 0,7 mm, galvanised

## SPECIFICATION



Article: ADAPTOR SYSTEM 11 mm

Article No. AS-012

### Details

Outside Diameter: 65 mm  
Inside Diameter: 48 mm  
Width: 15 mm  
Weight: 0,100 kg

Material: Aluminium

Accessoires: Allen Wrench DIN 911, 5 mm, galvanised  
Screw M6 x 12, DIN 6912, galvanised  
Washer 14 x 6,4 x 0,7 mm, galvanised