

# ***Paint Test Equipment***

## **Digital Thermometer Data Sheet**





## Digital Thermometer

The Digital Thermometer allows the measurement of the substrate temperature to be immediately measured. This ensures that the substrate can be maintained at a temperature sufficiently above the dew point to prevent moisture forming on the uncoated surface.

Designed for reliability and ease of use, the Digital Thermometer has a clear digital display which will give a precise read-out of the temperature.

Styled to fit into the palm of the hand, this pocket-sized Digital Thermometer incorporates a rigid stainless steel ribbon surface contact probe, which conveniently folds back through 180 degrees into the side of the instrument when not in use.

Incorporates an auto-power on/off facility: unfolding the probe turns the instrument on and automatically switches off after five minutes, maximizing the battery life.

Calibration Certificate with traceability to UKAS is an optional extra. The Certificate is supplied in a paper format and is available online through the Calibration Portal (under Browse Categories) on our website. The Calibration Portal will list all your equipment that is calibrated by Paint Test Equipment, showing the renewal dates and allowing Calibration Certificates to be viewed at any time.

Supplied in a Protective Pouch.



Digital Thermometer Specifications

Part No	Product	Range	Resolution	Accuracy	Cal Cert Part No
T2003	Digital Thermometer	-50 to 300°C	1°C	±1%	NT003
T2004	Digital Thermometer	-50 to 572°F	1°F	±1%	NT003

## About us

Paint Test Equipment are manufacturers of a comprehensive range of specialist instruments for the Industrial Coatings and Finishings Industries and have been supplying instruments to customers worldwide for over 25 years.

During this time Paint Test Equipment have established a reputation for manufacturing quality instruments to the highest specification, to meet the demanding requirements of the Industrial Painting Industry.

## Recalibration

Paint Test Equipment can service and recalibrate all applicable products that we supply.

We recommend that the equipment is returned on a 12-monthly basis to Paint Test Equipment for service and recalibration.

Calibration Certificates will have traceability to UKAS or BAM. The Certificate is supplied in a paper format and is available online through the Calibration Portal (under Browse Categories) on our website. The Calibration Portal will list all your equipment that is calibrated by Paint Test Equipment, showing the renewal dates and allowing Calibration Certificates to be viewed at any time.

[www.paint-test-equipment.com](http://www.paint-test-equipment.com)

### **Paint Test Equipment**

3 & 4 The Courtyard  
Greenfield Farm Estate  
Congleton, Cheshire  
CW12 4TR, England  
Tel: +44 (0) 1260 275614  
Fax: +44 (0) 1260 299231  
E-mail: [sales@paint-test-equipment.co.uk](mailto:sales@paint-test-equipment.co.uk)

*Distributor*